

D-Lead All Purpose Cleaner

CA Group

Chemwatch: 5388-44 Version No: 2.1.1.1 Safety Data Sheet according to WHS and ADG requirements Chemwatch Hazard Alert Code: 2

Issue Date: 24/01/2020 Print Date: 02/07/2020 S.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	D-Lead All Purpose Cleaner
Synonyms	Not Available
Other means of identification	Not Available
Relevant identified uses of the substance or mixture and uses advised against	

Relevant identified uses Clean up of metal dusts.

Details of the supplier of the safety data sheet

Registered company name	CA Group	Esca Tech
Address	32 Industrial Avenue Thomastown VIC 3074 Australia	3747 North Booth Street Milwaukee WI 53212 United States
Telephone	+61 3 8301 7100	+1 414 962 5323 +1 877 523 5323
Fax	Fax +61 3 9359 4076 +61 3 9359 4076	
Website	www.cagroup.com.au	http://www.esca-tech.com
Email	jmarchese@cagroup.com.au	cservice@esca-tech.com

Emergency telephone number

Association / Organisation	(03) 8301 7100	
Emergency telephone numbers	(03) 8301 7107 (Business hours 9am – 5pm)	
Other emergency telephone numbers	0428 904 506 (After Hours)	

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

CHEMWATCH HAZARD RATINGS

	Min	Max	
Flammability	0	1	
Toxicity	2	1	0 = Minimum
Body Contact	2		1 = Low 2 = Moderate
Reactivity	1		3 = High
Chronic	0		4 = Extreme

Poisons Schedule	Not Applicable	
Classification ^[1]	Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation)	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

Label elements

Hazard pictogram(s)

WARNING

SIGNAL WORD

Hazard statement(s)

hazaru statement(s)	
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

H335 May cause respiratory irritation.

P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing mist/vapours/spray.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement(s) Response

P321	Specific treatment (see advice on this label).
P362	Take off contaminated clothing and wash before reuse.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.

Precautionary statement(s) Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.	
>	

Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

P501

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
111-76-2	<5	ethylene glycol monobutyl ether
1344-09-8	<1.5	sodium metasilicate
1310-58-3	<0.2	potassium hydroxide

SECTION 4 FIRST AID MEASURES

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay.
Ingestion	 IF SWALLOWED, REFER FOR MEDICAL ATTENTION, WHERE POSSIBLE, WITHOUT DELAY. For advice, contact a Poisons Information Centre or a doctor. Urgent hospital treatment is likely to be needed. In the mean time, qualified first-aid personnel should treat the patient following observation and employing supportive measures as indicated by the patient's condition. If the services of a medical officer or medical doctor are readily available, the patient should be placed in his/her care and a copy of the SDS should be provided. Further action will be the responsibility of the medical specialist. If medical attention is not available on the worksite or surroundings send the patient to a hospital together with a copy of the SDS. Where medical attention is not immediately available or where the patient is more than 15 minutes from a hospital or unless instructed otherwise: INDUCE vomiting with fingers down the back of the throat, ONLY IF CONSCIOUS. Lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. NOTE: Wear a protective glove when inducing vomiting by mechanical means.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Page 3 of 8 D-Lead All Purpose Cleaner

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- Water spray or fog.
- ► Foam.
- Dry chemical powder.
- BCF (where regulations permit).

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. Decomposes on heating and produces: carbon dioxide (CO2) other pyrolysis products typical of burning organic material.
HAZCHEM	Not Applicable

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Remove all ignition sources. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment.
Major Spills	Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

recouldens for sale handling	
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT allow clothing wet with material to stay in contact with skin
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container	 Metal can or drum Packaging as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Avoid reaction with oxidising agents

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	ethylene glycol monobutyl ether	2-Butoxyethanol	20 ppm / 96.9 mg/m3	242 mg/m3 / 50 ppm	Not Available	Not Available
Australia Exposure Standards	potassium hydroxide	Potassium hydroxide	Not Available	Not Available	2 mg/m3	Not Available

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3	
ethylene glycol monobutyl ether	Butoxyethanol, 2-; (Glycol ether EB)	60 ppm	120 ppm	700 ppm	
sodium metasilicate	Silicic acid, sodium salt; (Sodium silicate)	5.9 mg/m3	65 mg/m3	390 mg/m3	
potassium hydroxide	Potassium hydroxide	0.18 mg/m3	2 mg/m3	54 mg/m3	
Ingredient	Original IDLH	Revised IDLH			
ethylene glycol monobutyl ether	Not Available	Not Available	Not Available		
sodium metasilicate	Not Available	Not Available	Not Available		
potassium hydroxide	Not Available	Not Available	Not Available		

OCCUPATIONAL EXPOSURE BANDING

Ingredient	Occupational Exposure Band Rating Occupational Exposure Band Limit	
sodium metasilicate	E ≤ 0.01 mg/m ³	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to range of exposure concentrations that are expected to protect worker health.	

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Personal protection	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index". The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

D-Lead All Purpose Cleaner

Material	СРІ
BUTYL	А
NEOPRENE	В
NITRILE	В
PVC	В
NAT+NEOPR+NITRILE	С
NATURAL RUBBER	С
NATURAL+NEOPRENE	С
NITRILE+PVC	С
PE/EVAL/PE	С
PVA	С
SARANEX-23	С

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	A-AUS	-	A-PAPR-AUS / Class 1
up to 50 x ES	-	A-AUS / Class 1	-
up to 100 x ES	-	A-2	A-PAPR-2 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

respirators is considered appropriate.

Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

Appearance	Clear purple liquid with camphor odour; mixes with water. pH: <11.9		
Physical state	Liquid	Relative density (Water = 1)	1.028-1.038
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	98	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	10.8
Vapour density (Air = 1)	>1	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material can cause respiratory irritation in some persons.	The body's response to such irritation can cause further lung damage.
Ingestion	Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual.	
Skin Contact	This material can cause inflammation of the skin on contact in The material may accentuate any pre-existing dermatitis condit Open cuts, abraded or irritated skin should not be exposed to t Entry into the blood-stream, through, for example, cuts, abrasic prior to the use of the material and ensure that any external da	tion
Eye	This material can cause eye irritation and damage in some persons.	
Chronic	Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems.	
D-Lead All Purpose Cleaner	TOXICITY Not Available	IRRITATION Not Available
ethylene glycol monobutyl ether	TOXICITY Not Available	IRRITATION Eye (rabbit): 100 mg SEVERE Eye (rabbit): 100 mg/24h-moderate Skin (rabbit): 500 mg, open; mild

	TOXICITY	IRRITATION	
sodium metasilicate	Not Available	Skin (human): 2	50 mg/24h SEVERE
		Skin (rabbit): 25	0 mg/24h SEVERE
	тохісіту	IRRITATION	
	Not Available	Eye (rabbit):1mg	g/24h rinse-moderate
potassium hydroxide		Skin (human): 5	0 mg/24h SEVERE
		Skin (rabbit): 50	mg/24h SEVERE
Legend:	1. Value obtained from Europe ECHA Registered Subs specified data extracted from RTECS - Register of Tox		ained from manufacturer's SDS. Unless otherwise
	NOTE: Changes in kidney, liver, spleen and lungs are		
ETHYLENE GLYCOL MONOBUTYL ETHER	The material may produce severe irritation to the eye of produce conjunctivitis. For ethylene glycol monoalkyl ethers and their acetate: Typical members of this category are ethylene glycol p (EGHE) and their acetates. EGMAEs are substrates for alcohol dehydrogenase iso (which are transient metabolites). Further, rapid convert the predominant urinary metabolites of mono substitute Acute Toxicity : Oral LD50 values in rats for all categod with decreasing molecular weight. Four to six hour acu vapour concentrations practically achievable. Values rate EGBEA to LC50 > 2132 ppm (9061 mg/m3) for EGPE. Animal testing showed that exposure to ethylene glyco effects were thought to be less than that of other mono Chronic exposure may cause anaemia, with enlargeme generalized clotting and bone infarction. In animals, 2-1	s (EGMAEs): ropylene ether (EGPE), ethylene gly ozyme ADH-3, which catalyzes the co- rsion of the aldehydes by aldehyde d ed glycol ethers. ry members range from 739 (EGHE) te inhalation toxicity studies were co- ange from LC0 > 85 ppm (508 mg/m2 I monobutyl ether resulted in toxicity alkyl ethers of ethylene glycol. ent and fragility of red blood cells. It i	col butyl ether (EGBE) and ethylene glycol hexyl ethe onversion of their terminal alcohols to aldehydes ehydrogenase produces alkoxyacetic acids, which ar to 3089 mg/kg bw (EGPE), with values increasing nducted for these chemicals in rats at the highest 3) for EGHE, LC50 > 400ppm (2620 mg/m3) for to both the mother and the embryo. Reproductive
	For ethylene glycol: Ethylene glycol is quickly and extensively absorbed thr through the airways; absorption through skin is appare metabolized by alcohol dehydrogenase to form glycoal	oughout the gastrointestinal tract. Linntly slow. Following absorption, it is o	nited information suggests that it is also absorbed distributed throughout the body. In humans, it is initial
SODIUM METASILICATE	For ethylene glycol: Ethylene glycol is quickly and extensively absorbed thr through the airways; absorption through skin is appare	oughout the gastrointestinal tract. Lin ntly slow. Following absorption, it is o dehyde, which is rapidly converted to	nited information suggests that it is also absorbed distributed throughout the body. In humans, it is initial o glycolic acid and glyoxal.
SODIUM METASILICATE POTASSIUM HYDROXIDE	For ethylene glycol: Ethylene glycol is quickly and extensively absorbed thr through the airways; absorption through skin is appare metabolized by alcohol dehydrogenase to form glycoal The material may be irritating to the eye, with prolonge	oughout the gastrointestinal tract. Lin ntly slow. Following absorption, it is of dehyde, which is rapidly converted to d contact causing inflammation. Rep ing to inflammation. Repeated or pro onged or repeated exposure and ma	mited information suggests that it is also absorbed distributed throughout the body. In humans, it is initial o glycolic acid and glyoxal. eated or prolonged exposure to irritants may produce longed exposure to irritants may produce y produce on contact skin redness, swelling, the
	For ethylene glycol: Ethylene glycol is quickly and extensively absorbed thr through the airways; absorption through skin is appare metabolized by alcohol dehydrogenase to form glycoal The material may be irritating to the eye, with prolonge conjunctivitis. The material may produce moderate eye irritation lead conjunctivitis. The material may cause severe skin irritation after prol	oughout the gastrointestinal tract. Lin ntly slow. Following absorption, it is o dehyde, which is rapidly converted to d contact causing inflammation. Rep ing to inflammation. Repeated or pro onged or repeated exposure and ma in. Repeated exposures may product	mited information suggests that it is also absorbed distributed throughout the body. In humans, it is initial o glycolic acid and glyoxal. eated or prolonged exposure to irritants may produce longed exposure to irritants may produce y produce on contact skin redness, swelling, the e severe ulceration.
POTASSIUM HYDROXIDE ETHYLENE GLYCOL MONOBUTYL ETHER &	For ethylene glycol. Ethylene glycol is quickly and extensively absorbed thr through the airways; absorption through skin is appare metabolized by alcohol dehydrogenase to form glycoal The material may be irritating to the eye, with prolonge conjunctivitis. The material may produce moderate eye irritation lead conjunctivitis. The material may cause severe skin irritation after prol production of vesicles, scaling and thickening of the sk The material may cause skin irritation after prolonged of	oughout the gastrointestinal tract. Lin ntly slow. Following absorption, it is o dehyde, which is rapidly converted to d contact causing inflammation. Rep- ing to inflammation. Repeated or pro- onged or repeated exposure and ma- in. Repeated exposures may produc or repeated exposure and may produ- en years after exposure to the materi SS) which can occur after exposure to evious airways disease in a non-atop cumented exposure to the irritant. Oti	mited information suggests that it is also absorbed distributed throughout the body. In humans, it is initial o glycolic acid and glyoxal. eated or prolonged exposure to irritants may produce longed exposure to irritants may produce y produce on contact skin redness, swelling, the e severe ulceration. uce on contact skin redness, swelling, the production al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main bic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible
POTASSIUM HYDROXIDE ETHYLENE GLYCOL MONOBUTYL ETHER & SODIUM METASILICATE SODIUM METASILICATE &	For ethylene glycol: Ethylene glycol is quickly and extensively absorbed thr through the airways; absorption through skin is appare metabolized by alcohol dehydrogenase to form glycoal The material may be irritating to the eye, with prolonge conjunctivitis. The material may produce moderate eye irritation lead conjunctivitis. The material may cause severe skin irritation after prol production of vesicles, scaling and thickening of the sk The material may cause skin irritation after prolonged of vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or eve known as reactive airways dysfunction syndrome (RAD criteria for diagnosing RADS include the absence of pr asthma-like symptoms within minutes to hours of a doc airflow pattern on lung function tests, moderate to seve	oughout the gastrointestinal tract. Lin ntly slow. Following absorption, it is o dehyde, which is rapidly converted to d contact causing inflammation. Rep- ing to inflammation. Repeated or pro- onged or repeated exposure and ma- in. Repeated exposures may produc or repeated exposure and may produ- en years after exposure to the materi SS) which can occur after exposure to evious airways disease in a non-atop cumented exposure to the irritant. Oti	mited information suggests that it is also absorbed distributed throughout the body. In humans, it is initial o glycolic acid and glyoxal. eated or prolonged exposure to irritants may produce longed exposure to irritants may produce y produce on contact skin redness, swelling, the e severe ulceration. uce on contact skin redness, swelling, the production al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main bic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible
POTASSIUM HYDROXIDE ETHYLENE GLYCOL MONOBUTYL ETHER & SODIUM METASILICATE SODIUM METASILICATE & POTASSIUM HYDROXIDE	For ethylene glycol: Ethylene glycol is quickly and extensively absorbed thr through the airways; absorption through skin is appare metabolized by alcohol dehydrogenase to form glycoal The material may be irritating to the eye, with prolonge conjunctivitis. The material may produce moderate eye irritation lead conjunctivitis. The material may cause severe skin irritation after prol production of vesicles, scaling and thickening of the sk The material may cause skin irritation after prolonged vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or eve known as reactive airways dysfunction syndrome (RAD criteria for diagnosing RADS include the absence of pr asthma-like symptoms within minutes to hours of a doo airflow pattern on lung function tests, moderate to seve lymphocytic inflammation, without eosinophilia.	oughout the gastrointestinal tract. Lin ntly slow. Following absorption, it is of dehyde, which is rapidly converted to d contact causing inflammation. Rep- ing to inflammation. Repeated or pro- onged or repeated exposure and ma- in. Repeated exposures may produc- or repeated exposures may produc- or repeated exposure and may produc- en years after exposure to the materi DS) which can occur after exposure to evious airways disease in a non-atop cumented exposure to the irritant. Oth re bronchial hyperreactivity on meth	mited information suggests that it is also absorbed distributed throughout the body. In humans, it is initial o glycolic acid and glyoxal. eated or prolonged exposure to irritants may produce longed exposure to irritants may produce y produce on contact skin redness, swelling, the e severe ulceration. Ince on contact skin redness, swelling, the production al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main bic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal
POTASSIUM HYDROXIDE ETHYLENE GLYCOL MONOBUTYL ETHER & SODIUM METASILICATE SODIUM METASILICATE & POTASSIUM HYDROXIDE Acute Toxicity Skin Irritation/Corrosion	For ethylene glycol: Ethylene glycol is quickly and extensively absorbed thr through the airways; absorption through skin is appare metabolized by alcohol dehydrogenase to form glycoal The material may be irritating to the eye, with prolonge conjunctivitis. The material may produce moderate eye irritation lead conjunctivitis. The material may cause severe skin irritation after prol production of vesicles, scaling and thickening of the sk The material may cause skin irritation after prolonged of vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or eve known as reactive airways dysfunction syndrome (RAE criteria for diagnosing RADS include the absence of pr asthma-like symptoms within minutes to hours of a doo airflow pattern on lung function tests, moderate to seve lymphocytic inflammation, without eosinophilia.	oughout the gastrointestinal tract. Lin ntly slow. Following absorption, it is a dehyde, which is rapidly converted to d contact causing inflammation. Rep ing to inflammation. Repeated or pro- onged or repeated exposure and main. Repeated exposures may produc or repeated exposures may produc or repeated exposure and may produ- en years after exposure to the materi DS) which can occur after exposure to evious airways disease in a non-atop cumented exposure to the irritant. Other bronchial hyperreactivity on mether Carcinogenicity	mited information suggests that it is also absorbed distributed throughout the body. In humans, it is initial o glycolic acid and glyoxal. eated or prolonged exposure to irritants may produce longed exposure to irritants may produce y produce on contact skin redness, swelling, the e severe ulceration. uce on contact skin redness, swelling, the production al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main bic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal
POTASSIUM HYDROXIDE ETHYLENE GLYCOL MONOBUTYL ETHER & SODIUM METASILICATE SODIUM METASILICATE & POTASSIUM HYDROXIDE	For ethylene glycol: Ethylene glycol is quickly and extensively absorbed thr through the airways; absorption through skin is appare metabolized by alcohol dehydrogenase to form glycoal The material may be irritating to the eye, with prolonge conjunctivitis. The material may produce moderate eye irritation lead conjunctivitis. The material may cause severe skin irritation after prol production of vesicles, scaling and thickening of the sk The material may cause skin irritation after prolonged of vesicles, scaling and thickening of the skin. Asthma-like symptoms may continue for months or eve known as reactive airways dysfunction syndrome (RAL criteria for diagnosing RADS include the absence of pr asthma-like symptoms within minutes to hours of a doc airflow pattern on lung function tests, moderate to seve lymphocytic inflammation, without eosinophilia.	oughout the gastrointestinal tract. Lin ntly slow. Following absorption, it is o dehyde, which is rapidly converted to d contact causing inflammation. Rep ing to inflammation. Repeated or pro- onged or repeated exposure and main. Repeated exposures may produce or repeated exposure and may produce or repeated exposure and may produce on years after exposure to the materi DS) which can occur after exposure to evious airways disease in a non-atop sumented exposure to the irritant. Other the bronchial hyperreactivity on mether Carcinogenicity Reproductivity	mited information suggests that it is also absorbed distributed throughout the body. In humans, it is initial o glycolic acid and glyoxal. eated or prolonged exposure to irritants may produce longed exposure to irritants may produce y produce on contact skin redness, swelling, the e severe ulceration. uce on contact skin redness, swelling, the production al ends. This may be due to a non-allergic condition o high levels of highly irritating compound. Main oic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal

Legend:

X – Data either not available or does not fill the criteria for classification v – Data available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity ENDPOINT TEST DURATION (HR) VALUE SOURCE SPECIES D-Lead All Purpose Cleaner Not Not Not Not Available Not Available Available Available Available ENDPOINT TEST DURATION (HR) SPECIES VALUE SOURCE ethylene glycol monobutyl Not Not Not ether Not Available Not Available Available Available Available SOURCE ENDPOINT TEST DURATION (HR) SPECIES VALUE sodium metasilicate Not Not Not Not Available Not Available Available Available Available

	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE SOURCE
potassium hydroxide	Not Available	Not Available	Not Available	Not Not Available Available
Legend:	V3.12 (QSAR) -	Aquatic Toxicity Data (Estimated) 4. US	Registered Substances - Ecotoxicological Ir EPA, Ecotox database - Aquatic Toxicity Da Japan) - Bioconcentration Data 8. Vendor Da	

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient Pers	ersistence: Water/Soil	Persistence: Air
No I	Data available for all ingredients	No Data available for all ingredients

Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients
Mobility in soil	
Mobility in soil	Mobility

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal	 DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Authority for disposal. Bury or incinerate residue at an approved site. Recycle containers if possible, or dispose of in an authorised landfill.
------------------------------	--

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

ETHYLENE GLYCOL MONOBUTYL ETHER IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Inventory of Chemical Substances (AICS)	Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6
	International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs
SODIUM METASILICATE IS FOUND ON THE FOLLOWING REGULATORY LISTS	
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals	Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -
Australia Inventory of Chemical Substances (AICS)	Schedule 5
	Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6
POTASSIUM HYDROXIDE IS FOUND ON THE FOLLOWING REGULATORY LISTS	
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals	Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -
Australia Inventory of Chemical Substances (AICS)	Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

National Inventory	Status
Australia - AICS	Yes
Canada - DSL	Yes
Canada - NDSL	No (ethylene glycol monobutyl ether; sodium metasilicate; potassium hydroxide)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - ARIPS	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Revision Date	24/01/2020
Initial Date	24/01/2020

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit_o IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.