

# 1600 Protector

Sensitive equipment needs protection, and since 1976 the answer has been the Pelican<sup>™</sup> Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Pelican cases have survived.

Made in the USA, these tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, overmolded rubber handles and stainless steel hardware.

- Personalized nameplate service available
- Watertight, crushproof, and dustproof
- 2 level Pick N Pluck<sup>™</sup> with convoluted lid foam
- Automatic Pressure Equalization Valve balances interior pressure, keeps water out
- Comfortable rubber over-molded handle
- Lifetime Guarantee of Excellence
- O-ring seal
- Open cell core with solid wall design strong, light weight
- Stainless steel hardware and padlock protectors



# CONFIGURATIONS



**1600** Standard



1604 With Padded Dividers



**1600NF** No Foam



1600TP With TrekPak Divider System



1600WF With Foam

# DIMENSIONS

Interior (L×W×D)	21.51 x 16.54" x 7.99 (54.6 x 42 x 20.3 cm)
Exterior (L×W×D)	24.39 x 19.36" x 8.79 (62 x 49.2 x 22.3 cm)
Lid Depth	1.75" (4.4 cm)
Bottom Depth	6.12" (15.5 cm)
Total Depth	7.87" (20 cm)
Int Volume	1.65 ft <sup>3</sup> (0.047 m <sup>3</sup> )
Padlock Hole Diameter	5/16" (8 mm)

#### MATERIALS

Body	Polypropylene
Latch	ABS
O-Ring	Polymer
Pins	Stainless Steel
Foam	1.3 lb Polyurethane
Purge Body	ABS
Purge Vent	3 Micron Hydrophobic Non-Woven

# COLOURS



# WEIGHT

Weight With Foam	14.11 lbs (6.4 kg)	
Weight Empty	13.00 lbs (5.9 kg)	
Buoyancy	117.00 lbs (53.1 kg)	
Master Pack Weight	34.75 lbs (15.8 kg)	

#### TEMPERATURE


Minimum Temperature	-40°F (-40 °C)
Maximum Temperature	210°F (98.9 °C)

### CERTIFICATIONS

# OTHER

Master Pack	2
Nameplate	yes
Military	yes

### ACCESSORIES



**1601** 4 pc. Replacement Foam Set



**1600TPKIT** TrekPak Case Divider Kit



**1602** Pick N Pluck<sup>™</sup> Sections Only (set of 2)



1510TPDIV Extra TrekPak Dividers



1603 Replacement O-ring



**1507** Quick Mounts - set of 4



**1605** Padded Divider Set



**1506TSA** TSA Lock



**1609** Lid Organizer



**1500D** Desiccant Silica Gel



 Pelican

 23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311

 sales@pelican.com
 • www.pelican.com

Document created on 01-26-22