

01

Height Safety Lifting Load Control Safety Management

**TECHNICAL DATA SHEET** 

# HORIZONTAL SAFETY LINES



#### SpanSet Australia Ltd

13 Pullman Place

Emu Plains

NSW 2750

Australia

## Telephone

+61 2 4735 3955

Fax

+61 2 4735 3630

E-mail

sales@spanset.com.au

Internet

www.spanset.com.au

# 3400 Series Horizontal Safety Lines


These webbing safety lines give lateral and versatile continuous anchorage connections. The standard 3400 connection is made directly to the webbing line via a large hook or karabiner while the 3400UK features connection D rings.

Preferred methods of attaching the horizontal lifeline to a structure can include the following:

- Round slings exceeding 22kN or 40kN in ultimate strength
- Flat slings exceeding 22kN or 40kN in ultimate strength
- Wire slings exceeding 22kN or 40kN in ultimate strength

- Karabiners exceeding 50kN in ultimate strength
- Safety shackles exceeding 22kN or 40kN in ultimate strength
- Grade 80 self locking lifting hooks exceeding 22kN or 40kN in ultimate strength
- Anchor points must have a minimum rating of 22kN for 1 person and 40kN for 2 people)
- 3400 Series horizontal lifelines have a maximum span of 18 metres.

| Code   | Length | Rating   | Ratchet   | Tension Force<br>Indicator |
|--------|--------|----------|-----------|----------------------------|
| 3400   | 18m    | 1 Person | Standard  | No                         |
| 3400UK | 18m    | 2 Person | 20020 ABS | Yes                        |



## **Training Courses Available**

- 1 Work Safely at Heights RIIOHS204A
- 2 Work Safely on Roofs CPCPCM2105A
- 3 Work Safely at Heights CPCCCM1006A
- 4 Competent Person Practical Inspection and Record Keeping MEM15004B

- 5 Tower and Pole Rescue PUA0HS001B PUASAR001A PUASAR004A
- 6 Vertical Rescue PUAOHS001B PUASAR001A PUASAR004A
- 7 Enter Confined Space MSAPMPER205B MSAPMPER200B

- 8 **Operate Breathing Apparatus** MSAPMOHS216A
- 9 Confined Space Vertical Rescue PUAOHS001B PUASAR001A PUASAR004A



## **SpanSet Accreditations**

Certified manufacturer to AS/NZS 1891.1 "Industrial Fall Arrest Systems and Devices"

Certified manufacturer to AS/NZS 1353.1 "Flat Synthetic Webbing Slings"





Certified to ISO 9001 Quality Systems



Certified testing laboratory for all of the above.

Certified to NATA National Association of Testing Authorities



### **Other Products Available**

ABS ratchet systems

Supra Plus round slings

Secutex edge protection

Web Dog Chain tensioners

Round slings up to 100 tonne Flat slings up to 20 tonne

| SpanSet<br>13 Pullman Place<br>Emu Plains NSW 2750 |  |  |  |  |  |
|--|--|--|--|--|--|
| 13 Pullman Place                                   |  |  |  |  |  |