



INDUSTREE
GROUP

PPE PREVIEW 2023

A B O U T U S

A mission to deliver the best, most innovative Personal Protective Equipment (PPE) to the Australian market has driven Industree Group to design and produce a collection of premium brands, utilising cutting edge technology. TRIDENT®, EPIC® and PITBULL® are the pillars of market-leading safety products driven by a culture of evolution and revolution.

To stay at the forefront of the PPE industry, we recognise the need to continuously push boundaries through research and development opportunities to enhance our products, services, and processes which drives positive change in the safety industry and reinforces our ethos – Protecting People Everywhere.

Our highly skilled safety specialists have a deep understanding of the industry and continue to work closely with distribution partners and clients to understand their objectives, safety challenges, and opportunities, providing guidance and protective solutions that keep Australian workers safe.

At Industree Group, we recognise the urgent need to protect our planet for future generations and are actively invested in implementing preventative and mitigating controls to offset our environmental impact.

With a passion for excellence and a relentless drive for creation, Industree Group strive to exceed expectations, delivering unparalleled value and superior service.



C O N T E N T S

Respiratory Protection	4
Body Protection	7
Hand Protection	13
Eye Protection	23
Accessories	27
Safety Specialists	28

RESPIRATORY PROTECTION



3 PANEL CONSTRUCTION

Three panel design provides structural integrity, form fit seal and optimal comfort. All three mask panels and seams have been independently tested and certified AS 4381:2015 Level 3 - ISO 22609.



ADAPTS TO MOST FACES

Versatile unisex fit suitable for a range of facial shapes and sizes. Effective for many "hard to fit" individuals.



BACTERIAL FILTRATION TECHNOLOGY

Bacterial Filtration Efficiency (BFE) >99%.



BATCH NUMBERED

Each mask is individually batch numbered and packaged for the ultimate in traceability, portability and hygiene.



EXHALATION VALVE

Valved design eliminates the build up of heat and moisture within the breathing zone.



FIT TEST RESULTS

Specialised TRIDENT® respirator seal attains exceptional consistent PortaCount® fit testing results.



FLUID RESISTANT

TRIDENT® 3 layer substrate matrix allows for optimum breathability and comfort while providing class leading protection and performance levels.



LATEX FREE

Latex free to avoid the risk of developing allergies with repeat exposure.



LOW BREATHING RESISTANCE

Low breathing resistance, maximising wearer comfort, durability and life of product.



MULTILAYER TECHNOLOGY

Advanced multilayer technology providing protection against mechanically and thermally generated particulates including: fluids, dusts, mists, fumes and smoke.



PROPRIETARY FOAM NOSE SEAL

Proprietary adjustable foam nose pad to ensure consistent optimum facial seal and reduce fogging of eyewear.



USE WITH OTHER PPE

Designed to be used in conjunction with other mandatory personal protective equipment.



RESPIRATOR TRIDENT® FLAT FOLD P2 LEVEL 3

Part No: RTCFFP2



3 Panel Construction




Proprietary Foam Nose Seal




Low Breathing Resistance Filter




Latex Free



Bacterial Filtration Efficiency (BFE) >99%



Fluid Resistant Level 3 160 mmHg



Fit Test Results

Advanced multilayer technology providing protection against mechanically and thermally generated particulates including: fluids, dusts, mists, fumes and smoke

Three panel design provides structural integrity, form fit seal and optimal comfort. All three mask panels and seams have been independently tested and certified to AS 4381:2015 Level 3 - ISO 22609

Bacterial Filtration Efficiency (BFE) >99%

Fluid resistant level 3, 160 mmHg

Proprietary adjustable foam nose pad to ensure consistent optimum facial seal and reduce fogging of eyewear

Versatile unisex fit suitable for a vast range of facial shapes and sizes. Effective for many "hard to fit" individuals

Specialised TRIDENT® respirator seal attains unrivalled PortaCount® fit testing results

Low breathing resistance maximising wearer comfort, durability and life of product

Designed to be used in conjunction with other mandatory personal protective equipment

Each mask is individually batch numbered and packaged for the ultimate in traceability, portability and hygiene

PACKAGING: 1 Mask / Polybag, 20 Masks / Inner, 480 Masks / Carton

ITEM CODE	SIZE
RTCFFP2XS	Extra Small
RTCFFP2S	Small
RTCFFP2	Regular

ITEM CODE	SIZE
RTCFFP2E	Regular Extended Length Head Straps
RTCFFP2XXL	XX Large



CERTIFIED P2
AS/NZS 1716: 2012
ID No. BMP 732382

AS 4381: 2015 Level 3
ID No. BMP 737354

EN 149:2001 + A1:2009
ID No. BMP 754423

ARTG
344154



RESPIRATOR TRIDENT® FLAT FOLD P2 VALVED

Part No: RTCFFP2V



3 Panel Construction



Proprietary Foam Nose Seal



Low Breathing Resistance Filter



Latex Free



Exhalation Valve



Fluid Resistant



Fit Test Results

Advanced multilayer technology providing protection against mechanically and thermally generated particulates including: fluids, dusts, mists, fumes and smoke

Three panel design provides structural integrity, form fit seal and optimal comfort
Proprietary adjustable foam nose pad to ensure consistent optimum facial seal and reduce fogging of eyewear

Valved design eliminates the build up of heat and moisture within the breathing zone

PACKAGING: 1 Mask / Polybag, 20 Masks / Inner, 240 Masks / Carton

ITEM CODE	SIZE
RTCFFP2V	Regular
RTCFFP2VE	Regular Extended Length Head Straps
RTCFFP2XXLV	XX Large











CERTIFIED P2
AS/NZS 1716: 2012
ID No. BMP 732382

EN 149:2001 + A1:2009
ID No. BMP 754423



RESPIRATOR TRIDENT® FLAT FOLD P2 CARBON VALVED

Part No: RTCFFP2CEV

-  3 Panel Construction
-  Proprietary Foam Nose Seal
-  Low Breathing Resistance Filter
-  Activated Carbon
-  Exhalation Valve
-  Fluid Resistant
-  Fit Test Results
-  Latex Free

Advanced multilayer technology providing protection against mechanically and thermally generated particulates including: fluids, dusts, mists, fumes and smoke and diesel admissions

Activated Carbon is processed to have small pores that increase the surface area available for absorption of impurities into the layer reducing nuisance level* of organic vapours and odours


Fibrous activated carbon maintains lower breathing resistance while providing effective filtration, enhancing wearer comfort

Three panel design provides structural integrity, form fit and seal and reduce fogging of eyewear

PACKAGING: 1 Mask / Polybag, 20 Masks / Inner, 240 Masks / Carton

ITEM CODE	SIZE
RTCFFP2CEV	Regular Extended Length Head Straps
RTCFFP2CXXLV	XX Large

COMING SOON



Proprietary adjustable foam nose pad to ensure consistent optimum facial seal and reduce fogging of eyewear

Valved design eliminates the build up of heat and moisture within the breathing zone

Specialised TRIDENT® respirator seal attains unrivalled PortaCount® fit testing results

Designed to be used in conjunction with other mandatory personal protective equipment

Each mask is individually batch numbered and packaged for the ultimate in traceability, portability and hygiene

*Nuisance levels are those levels below the Workplace Exposure Standard.



YOU DESERVE THE BEST FITTING MASK ON THE PLANET

TRIDENT® P2 LEVEL 3 RESPIRATORS

RTCFFP2 THE MASK THAT HELPED SAVE A NATION



FIND OUT HOW YOU CAN SAVE ON YOUR NEXT RESPIRATOR FIT TEST PROGRAM

Did you know that respirator fit test assessments should be conducted at least annually in conjunction with a respiratory protection program?

TEST WITH THE BEST FITTING MASK ON THE PLANET



BODY PROTECTION



ANTI-STATIC PROPERTIES

EN 1149-5:2018 Performance requirements for protective clothing with anti-static properties: Surface resistivity (<math><2.5 \times 10^9 \text{ ohm}</math>). Pieces of clothing are treated in order to be statically conductive on the inside.



BIOLOGICAL PROTECTION

EN 14126:2003 + AC:2004 Protective clothing. Performance requirements and test method for protective clothing against infective agents.




CHEMICAL SPLASH PROTECTION

EN 13034:2005 + A1:2009 Protective clothing against liquid chemicals. Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals.



ELASTICISED

Elasticised ankles, cuff, hood and waist.



PARTICULATE PROTECTION

EN ISO 13982-1:2004 + A1:2010 Protective clothing for use against solid particulates. Performance requirements for chemical protective clothing providing protection to the full body against airborne solid particulates.




RADIOACTIVE PROTECTION

EN 1073-2:2002 Class 2 Protective clothing against radioactive contamination. Requirements and test methods for non-ventilated protective clothing against particulate radioactive contamination.



REFLECTIVE TAPE

Increased visibility and safety.




STORM FLAP WITH A TAPE SEAL

Covers and seals over the zipper to ensure full protection and compliance to material standards.



WATER RESISTANT

Highly breathable and water resistant.



2 PANEL EXTENDED CROTCH

Prevents tearing at the usual crotch seam intersection.



2 WAY ZIPPER

For easy access and convenience.



3 LAYER TRI-LAMINATE

TRIDENT® 3 layer substrate matrix allows for optimum breathability and comfort while providing class leading protection and performance levels.



Blue



COVERALL TRIDENT® SMS TYPE 5 / TYPE 6 CAT III

Part No: D300



Category 3 Protection



Radioactive Protection



Particulate Protection



3 Layer Tri-Laminate



Chemical Splash Protection



2 Way Zipper



Anti-Static

Highly breathable and water resistant
Elasticised hood, wrists, waist & ankles
Optimum strength and tear resistance
3 layer SMS fabric matrix
2 panel extended crotch
3 panel hood
2 way zipper
Storm flap with a tape seal

Anti-Static
Hazardous particulate protection
Chemical splash protection
Radioactive protection
Designed for asbestos, mining, oil and gas industries

PACKAGING: 1 Coverall / Polybag, 50 Coveralls / Carton
CERTIFIED: Category III, EN ISO 13982-1:04 + A1:10, EN 13034:05 + A1:09, EN 1149-5:18, EN 1073-2:02 Class 2, EN ISO 13688:13

ITEM CODE	SIZE
D3000	S
D3001	M
D3002	L
D3003	XL

ITEM CODE	SIZE
D3004	2XL
D3005	3XL
D3006	4XL



White



COVERALL TRIDENT® SMS TYPE 5 / TYPE 6 CAT III

Part No: D310



Category 3 Protection



Radioactive Protection



Particulate Protection



3 Layer Tri-Laminate



Chemical Splash Protection



2 Way Zipper



Anti-Static

Highly breathable and water resistant
Elasticised hood, wrists, waist & ankles
Optimum strength and tear resistance
3 layer SMS fabric matrix
2 panel extended crotch
3 panel hood
2 way zipper
Storm flap with a tape seal

Anti-Static
Hazardous particulate protection
Chemical splash protection
Radioactive protection
Designed for asbestos, mining, oil and gas industries

PACKAGING: 1 Coverall / Polybag, 50 Coveralls / Carton
CERTIFIED: Category III, EN ISO 13982-1:04 + A1:10, EN 13034:05 + A1:09, EN 1149-5:18, EN 1073-2:02 Class 2, EN ISO 13688:13

ITEM CODE	SIZE
D3100	S
D3101	M
D3102	L
D3103	XL

ITEM CODE	SIZE
D3104	2XL
D3105	3XL
D3106	4XL





Orange

TRIDENT®
COVERALL TRIDENT® SMS
TYPE 5 / TYPE 6 CAT III

Part No: D320

- Category 3 Protection
- Radioactive Protection
- Particulate Protection
- 3 Layer Tri-Laminate
- Chemical Splash Protection
- 2 Way Zipper
- Anti-Static



Orange w/ reflective tape

TRIDENT®
COVERALL TRIDENT® SMS
TYPE 5 / TYPE 6 CAT III

Part No: D320T

- Category 3 Protection
- Radioactive Protection
- Particulate Protection
- 3 Layer Tri-Laminate
- Chemical Splash Protection
- 2 Way Zipper
- Anti-Static
- Hi Vis
- Reflective Tape



White

TRIDENT®
COVERALL TRIDENT®
MICROPOROUS HST
TYPE 5 / TYPE 6 CAT III

Part No: DMP16

- Category 3 Protection
- Radioactive Protection
- Particulate Protection
- Biological Protection
- Chemical Splash Protection
- 2 Way Zipper
- Anti-Static
- Hybrid Substrate Technology (HST)



White w/ reflective tape

TRIDENT®
COVERALL TRIDENT®
MICROPOROUS HST
TYPE 5 / TYPE 6 CAT III

Part No: DMP16T

- Category 3 Protection
- Radioactive Protection
- Particulate Protection
- Reflective Tape
- Chemical Splash Protection
- 2 Way Zipper
- Biological Protection
- Anti-Static

Highly breathable and water resistant
 Elasticised hood, wrists, waist & ankles
 Optimum strength and tear resistance
 3 layer SMS fabric matrix
 2 panel extended crotch
 3 panel hood
 2 way zipper
 Storm flap with a tape seal

Anti-Static
 Hazardous particulate protection
 Chemical splash protection
 Radioactive protection
 Designed for asbestos, mining, oil and gas industries
 Highly visible bright orange colour for improved worker safety

PACKAGING: 1 Coverall / Polybag, 50 Coveralls / Carton
CERTIFIED: Category III, EN ISO 13982-1:04 + A1:10, EN 13034:05 + A1:09, EN 1149-5:18, EN 1073-2:02 Class 2, EN ISO 13688:13

ITEM CODE	SIZE	ITEM CODE	SIZE
D3200	S	D3204	2XL
D3201	M	D3205	3XL
D3202	L	D3206	4XL
D3203	XL		

Highly breathable and water resistant
 Elasticised hood, wrists, waist & ankles
 Optimum strength and tear resistance
 3 layer SMS fabric matrix
 2 panel extended crotch
 3 panel hood
 2 way zipper
 Storm flap with a tape seal

Anti-Static
 Hazardous particulate protection
 Chemical splash protection
 Radioactive protection
 Designed for asbestos, mining, oil and gas industries
 Reflective tape around the body, arms and legs

PACKAGING: 1 Coverall / Polybag, 50 Coveralls / Carton
CERTIFIED: Category III, EN ISO 13982-1:04 + A1:10, EN 13034:05 + A1:09, EN 1149-5:18, EN 1073-2:02 Class 2, EN ISO 13688:13

ITEM CODE	SIZE	ITEM CODE	SIZE
D3200T	S	D3204T	2XL
D3201T	M	D3205T	3XL
D3202T	L	D3206T	4XL
D3203T	XL		

Highly breathable and water resistant
 Elasticised hood, wrists, waist & ankles
 Optimum strength and tear resistance
 3 panel hood
 2 way zipper
 Lint free

Storm flap with a tape seal
 Hybrid Substrate Technology (HST)
 Anti-Static

PACKAGING: 1 Coverall / Polybag, 50 Coveralls / Carton
CERTIFIED: Category III, EN ISO 13982-1:04 + A1:10, EN 13034:05 + A1:09, EN 1149-5:18, EN 14126:03 + AC:04, EN 1073-2:02 Class 2, EN ISO 13688:13

ITEM CODE	SIZE	ITEM CODE	SIZE
DMP161	S	DMP165	2XL
DMP162	M	DMP166	3XL
DMP163	L	DMP167	4XL
DMP164	XL		

Highly breathable and water resistant
 Elasticised hood, wrists, waist & ankles
 Optimum strength and tear resistance
 3 panel hood
 2 way zipper
 Lint free

Storm flap with a tape seal
 Hybrid Substrate Technology (HST)
 Anti-Static

PACKAGING: 1 Coverall / Polybag, 50 Coveralls / Carton
CERTIFIED: Category III, EN ISO 13982-1:04 + A1:10, EN 13034:05 + A1:09, EN 1149-5:18, EN 14126:03 + AC:04, EN 1073-2:02 Class 2, EN ISO 13688:13

ITEM CODE	SIZE	ITEM CODE	SIZE
DMP161T	S	DMP165T	2XL
DMP162T	M	DMP166T	3XL
DMP163T	L	DMP167T	4XL
DMP164T	XL		





Orange w/ reflective tape



**COVERALL TRIDENT®
MICROPOROUS HST
TYPE 5 / TYPE 6 CAT III**

Part No: DMPHVR16

- Category 3 Protection
- 2 Way Zipper
- Particulate Protection
- Radioactive Protection
- Chemical Splash Protection
- Reflective Tape
- Biological Protection
- Hi Vis
- Anti-Static
- Hybrid Substrate Technology (HST)

Highly breathable and water resistant
Elasticised hood, wrists, waist & ankles
Optimum strength and tear resistance
3 panel hood
2 way zipper
Lint free

PACKAGING: 1 Coverall / Polybag, 50 Coveralls / Carton
CERTIFIED: Category III, EN ISO 13982-1:04 + A1:10, EN 13034:05 + A1:09, EN 1149-5:18, EN 14126:03 + AC:04, EN 1073-2:02 Class 2, EN ISO 13688:13

ITEM CODE	SIZE	ITEM CODE	SIZE
DMPHVR161	S	DMPHVR165	2XL
DMPHVR162	M	DMPHVR166	3XL
DMPHVR163	L	DMPHVR167	4XL
DMPHVR164	XL		



Blue



**GOWN TRIDENT®
LEVEL 2 / LEVEL 3**

Part No: DGB2

- Level 2 Protection
- Latex Free
- Level 3 Protection
- High Fluid Protection
- Particulate Protection
- Elasticised Cuff

Premium TRIDENT® quality fabric. The new benchmark for AAMI Level 2 and Level 3 isolation gown technology and comfort

Ergonomic designed isolation gown providing complete body coverage for unsurpassed protection against workplace hazards

Wrap around safety waist tie closure system for ultimate coverage protection

Dual neck closure system (ties and velcro for additional security)

PACKAGING: 10 / Polybag, 50 / Carton
CERTIFIED: ANSI/AAMI BP70:2012, ISO 13485:2016 & ISO 9001:2015

ITEM CODE	SIZE	ITEM CODE	SIZE
DGB2U	Unisize (Ergonomic design to fit 85% of users)	DGB2X	Oversize (Generous fitting design equivalent to 4XL)

ANSI/AAMI PB70:2012 BMP: 767277 Certified & manufactured to the strict requirements of: ISO 13485:2016 & ISO 9001:2015

ARTG 407810 FDA Sedex



White



**OVERBOOT TRIDENT®
MICROPOROUS HST
TYPE 5 / TYPE 6 CAT III (PAIRS)**

Part No: DMPBC

- Category 3 Protection
- Biological Protection
- Particulate Protection
- Radioactive Protection
- Chemical Splash Protection
- 2 Layer Poly-Laminate
- Anti-Static

Highly breathable and water resistant
Optimum strength and tear resistance
Lint free
Chemical liquid and blood penetration resistance
Elasticised leg

Adjustable strap for universal fitting
Reinforced heavy duty PVC non-slip sole

PACKAGING: 100 Pairs / Carton
COMPLIANCE: Category III, EN ISO 13982-1:04 + A1:10, EN 13034:05 + A1:09, EN 1149-5:18, EN 14126:03 + AC:04, EN 1073-2:02 Class 2

ITEM CODE	SIZE
DMPBC	One size fits most

COMPLIANCE CATEGORY 3 PROTECTION LEVEL

FDA Sedex



**SMS COVERALLS
TYPE 5 / TYPE 6 CAT III**

Designed for asbestos, mining, oil & gas industries

- Elasticised hood, wrists, waist & ankles
- 3 panel hood
- Highly breathable & water resistant
- Optimum strength & tear resistance
- 3 layer SMS fabric matrix
- Storm flap with a tape seal
- 2 way zipper
- 2 panel extended crotch



BODY PROTECTION

HAND PROTECTION



EPICFIT™
Optimal ergonomic comfort and dexterity.



EPICFLOW™
Breathable cooling system for sweat and heat dispersion.



GRIT™
TACT™ premium sand grit nitrile coating.



HEAT RESISTANT
Contact heat resistance up to 100°C.



HI VIS
High visibility provides increased safety and awareness.




POLYMERIX™
Lightweight cut resistant fibres.



SHIRRED WRIST
Elastic shirred wrist to keep out dirt and debris.



TACT™
Thermally Activated Coating Technology™ reacts to the wearer's body temperature.



TEAR RESISTANT
Optimum strength and tear resistance.



THUMB SADDLE
Additional reinforcement at the critical wear point of the thumb saddle to provide the vital cut protection needed.



TOUCH SCREEN ACTIVATION
Touch screen activation eradicates the need to remove the glove when operating smart devices.



VELCRO CLOSURE
Velcro closure allows the user to quickly and easily adjust the glove fit around the wrist for optimum comfort and security.

EPIC®

GLOVE EPIC® PHAROS GP NITRILE

Part No: GP67



POLYMERIX™



TACT™



EPICFIT™



EPICFLOW™



Abrasion Resistant



Heat Resistant



Tear Resistant



Hi Vis



Oil Resistant



GRIT™



Touch Screen Activation



POLYMERIX™ lightweight liner
TACT™ (Thermally Activated Coating Technology) premium sand grit nitrile coating

EPICFIT™ optimal ergonomic comfort and dexterity


EPICFLOW™ breathable cooling system for sweat and heat dispersion

PACKAGING: 12 Pairs / Inner, 144 Pairs/ Carton

CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4131X, EN407 X1XXXX

ITEM CODE	SIZE
GP671	S/7
GP672	M/8
GP673	L/9

ITEM CODE	SIZE
GP674	XL/10
GP675	2XL/11



EPIC®

GLOVE EPIC® MORPHLEX™ HELIUM® GP NITRILE

Part No: GMG25



POLYMERIX™



TACT™



EPICFIT™



EPICFLOW™



Abrasion Resistant



Tear Resistant



Oil Resistant



Touch Screen Activation

POLYMERIX™ lightweight liner
TACT™ (Thermally Activated Coating Technology) premium hybrid nitrile coating
EPICFIT™ optimal ergonomic comfort and dexterity


EPICFLOW™ breathable cooling system for sweat and heat dispersion

PACKAGING: 12 Pairs / Inner, 144 Pairs/ Carton

CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4131X

ITEM CODE	SIZE
GMG250	XS/6
GMG251	S/7
GMG252	M/8
GMG253	L/9
GMG254	XL/10

ITEM CODE	SIZE
GMG255	2XL/11
GMG256	3XL/12



EPIC®

GLOVE EPIC® MORPHLEX™ 3B CUT RESISTANT NITRILE

Part No: GMC30

- POLYMERIX™
- TACT™
- EPICFIT™
- EPICFLOW™
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Puncture Resistant
- Thumb Saddle
- Touch Screen Activation



POLYMERIX™ lightweight cut resistant liner
TACT™ (Thermally Activated Coating Technology) premium hybrid nitrile coating
EPICFIT™ optimal ergonomic comfort and dexterity
EPICFLOW™ breathable cooling system for sweat and heat dispersion
Pre-washed and Sanitized®

Reinforced thumb saddle
Touch screen activation
Fully breathable
Use in dry or wet conditions

PACKAGING: 12 Pairs / Inner, 144 Pairs/ Carton
CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4X42B

ITEM CODE	SIZE	ITEM CODE	SIZE
GMC300	XS/6	GMC304	XL/10
GMC301	S/7	GMC305	2XL/11
GMC302	M/8	GMC306	3XL/12
GMC303	L/9		



EPIC®

GLOVE EPIC® MORPHLEX™ 5C CUT RESISTANT NITRILE VP

Part No: GMC57VP

- POLYMERIX™
- TACT™
- EPICFIT™
- EPICFLOW™
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Puncture Resistant
- Thumb Saddle
- Touch Screen Activation



POLYMERIX™ lightweight cut resistant liner
TACT™ (Thermally Activated Coating Technology) premium hybrid nitrile coating
EPICFIT™ optimal ergonomic comfort and dexterity
EPICFLOW™ breathable cooling system for sweat and heat dispersion
Pre-washed and Sanitized®

Reinforced thumb saddle
Touch screen activation
Fully breathable
Use in dry or wet conditions

PACKAGING: Vend Packed, 12 Pairs / Inner, 144 Pairs/ Carton
CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4X42C

ITEM CODE	SIZE	ITEM CODE	SIZE
GMC570VP	XS/6	GMC574VP	XL/10
GMC571VP	S/7	GMC575VP	2XL/11
GMC572VP	M/8	GMC576VP	3XL/12
GMC573VP	L/9		



EPIC®

GLOVE EPIC® SOLIS™ 5C CUT RESISTANT NITRILE

Part No: GSC53

- POLYMERIX™
- TACT™
- EPICFIT™
- EPICFLOW™
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Oil Resistant
- Thumb Saddle
- Hi Vis



POLYMERIX™ lightweight cut resistant liner
TACT™ (Thermally Activated Coating Technology) premium sand grit nitrile coating
EPICFIT™ optimal ergonomic comfort and dexterity
EPICFLOW™ breathable cooling system for sweat and heat dispersion

Optimum comfort and dexterity
Sand GRIT™ nitrile coating with reinforced thumb saddle
Use in dry, wet or oily conditions

PACKAGING: 12 Pairs / Inner, 144 Pairs/ Carton
CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4X42C

ITEM CODE	SIZE	ITEM CODE	SIZE
GSC531	S/7	GSC534	XL/10
GSC532	M/8	GSC535	2XL/11
GSC533	L/9		



EPIC®

GLOVE EPIC® UPPERCUT™ HELIUM® 5D CUT RESISTANT NITRILE

Part No: GUN75

- POLYMERIX™
- TACT™
- EPICFIT™
- EPICFLOW™
- Thumb Saddle
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Puncture Resistant



POLYMERIX™ lightweight high cut resistant liner
TACT™ (Thermally Activated Coating Technology) premium hybrid nitrile coating
EPICFIT™ optimal ergonomic comfort and dexterity
EPICFLOW™ breathable cooling system for sweat and heat dispersion
Pre-washed and Sanitized®

Reinforced thumb saddle
Touch screen activation
Fully breathable
Use in dry or wet conditions

PACKAGING: 12 Pairs / Inner, 144 Pairs/ Carton
CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4X43D

ITEM CODE	SIZE	ITEM CODE	SIZE
GUN750	XS/6	GUN754	XL/10
GUN751	S/7	GUN755	2XL/11
GUN752	M/8	GUN756	3XL/12
GUN753	L/9		



EPIC®

GLOVE EPIC® UPPERCUT™ HELIUM® OIL 5D CUT & LIQUID RESISTANT

Part No: GUN78

- POLYMERIX™
- TACT™
- EPICFIT™
- EPICFLOW™
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Puncture Resistant



POLYMERIX™ lightweight high cut resistant liner
TACT™ (Thermally Activated Coating Technology) premium hybrid nitrile coating
EPICFIT™ optimal ergonomic comfort and dexterity
EPICFLOW™ breathable cooling system for sweat and heat dispersion

Pre-washed and Sanitized®
Touch screen activation
 Use in dry, wet or oily conditions

PACKAGING: 12 Pairs / Inner, 144 Pairs/ Carton
CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4X44D

ITEM CODE	SIZE	ITEM CODE	SIZE
GUN780	XS/6	GUN784	XL/10
GUN781	S/7	GUN785	2XL/11
GUN782	M/8	GUN786	3XL/12
GUN783	L/9		



EPIC®

GLOVE EPIC® UPPERCUT™ 5D CUT RESISTANT NITRILE

Part No: GUNC56

- POLYMERIX™
- TACT™
- EPICFIT™
- EPICFLOW™
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Puncture Resistant
- Oil Resistant
- Touch Screen Activation



POLYMERIX™ lightweight high cut resistant liner
TACT™ (Thermally Activated Coating Technology) premium sand grit nitrile coating
EPICFIT™ optimal ergonomic comfort and dexterity
EPICFLOW™ breathable cooling system for sweat and heat dispersion

Touch screen activation
Fully breathable
 Use in dry, wet or oily conditions

PACKAGING: 12 Pairs / Inner, 144 Pairs/ Carton
CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4X44D

ITEM CODE	SIZE	ITEM CODE	SIZE
GUNC560	XS/6	GUNC564	XL/10
GUNC561	S/7	GUNC565	2XL/11
GUNC562	M/8	GUNC566	3XL/12
GUNC563	L/9		



EPIC®

GLOVE EPIC® UPPERCUT™ 5D CUT RESISTANT PU

Part No: GUC5

- POLYMERIX™
- TACT™
- EPICFIT™
- EPICFLOW™
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Puncture Resistant
- Hi Vis



POLYMERIX™ lightweight high cut resistant liner
TACT™ (Thermally Activated Coating Technology)
EPICFIT™ optimal ergonomic comfort and dexterity
EPICFLOW™ breathable cooling system for sweat and heat dispersion

Fully breathable
Use in dry or wet conditions

PACKAGING: 12 Pairs / Inner, 144 Pairs/ Carton
CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4X43D

ITEM CODE	SIZE
GUC51Y	M/8
GUC52Y	L/9
GUC53Y	XL/10
GUC54Y	2XI/11



EPIC®

SLEEVE EPIC® SLEEVZ™ 5D CUT & HEAT RESISTANT VP (PAIR)

Part No: GCSC555

- POLYMERIX™
- EPICFLOW™
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Heat Resistant
- Hi Vis



POLYMERIX™ lightweight high cut resistant liner
EPICFLOW™ breathable cooling system for sweat and heat dispersion
High level 5D cut protection
Contact heat rated
High visibility

Fully breathable
30cm in length - one size fits most

PACKAGING: Vend Packed, 12 Pairs / Inner, 72 Pairs/ Carton
CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 3X4XD, EN407 X1XXXX

ITEM CODE	SIZE	COLOUR
GCSC555	30cm	Hi Vis Green



EPIC®

GLOVE EPIC® ONYX™ 5E CUT RESISTANT NITRILE

Part No: GC52

- POLYMERIX™
- TACT™
- EPICFIT™
- EPICFLOW™
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Puncture Resistant
- Thumb Saddle
- Touch Screen Activation



POLYMERIX™ lightweight high cut resistant liner

TACT™ (Thermally Activated Coating Technology) premium sand grit nitrile coating

EPICFIT™ optimal ergonomic comfort and dexterity

EPICFLOW™ breathable cooling system for sweat and heat dispersion

Pre-washed and Sanitized®

Reinforced thumb saddle

Touch screen activation

Fully breathable

Use in dry or wet conditions

PACKAGING: 12 Pairs / Inner, 144 Pairs/ Carton

CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4X44E

ITEM CODE	SIZE	ITEM CODE	SIZE
GC520	XS/6	GC524	XL/10
GC521	S/7	GC525	2L/11
GC522	M/8	GC526	3XL/12
GC523	L/9		



EPIC®

GLOVE EPIC® PHAROS HI VIS 5E CUT RESISTANT NITRILE

Part No: GPC57

- POLYMERIX™
- TACT™
- EPICFIT™
- EPICFLOW™
- Abrasion Resistant
- Heat Resistant
- Cut Resistant
- Tear Resistant
- Puncture Resistant
- Oil Resistant
- Touch Screen Activation



POLYMERIX™ lightweight high cut resistant liner

TACT™ (Thermally Activated Coating Technology) premium hybrid nitrile coating

EPICFIT™ optimal ergonomic comfort and dexterity

EPICFLOW™ breathable cooling system for sweat and heat dispersion


Touch screen activation

Hi Visibility

PACKAGING: 12 Pairs / Inner, 144 Pairs/ Carton

CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4X43E, EN407 X1XXXX

ITEM CODE	SIZE	ITEM CODE	SIZE
GPC571	S/7	GPC575	2XL/11
GPC572	M/8		
GPC573	L/9		
GPC574	XL/10		



EPIC®

GLOVE EPIC® PHAROS IMPACT HI VIS 5EP CUT & VIBRATION RESISTANT NITRILE

Part No: GC5P

- POLYMERIX™
- TACT™
- EPICFIT™
- EPICFLOW™
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Oil Resistant
- Impact Protection
- Anti Vibration



POLYMERIX™ lightweight high cut resistant liner

TACT™ (Thermally Activated Coating Technology) premium sand grit nitrile coating

EPICFIT™ optimal ergonomic comfort and dexterity

EPICFLOW™ breathable cooling system for sweat and heat dispersion

EPIC® Armour anti impact and anti vibration

Flexible TPR for back of hand protection

Velcro closure

Hi Visibility

Use in dry, wet or oily conditions

PACKAGING: 6 Pairs / Inner, 72 Pairs/ Carton

CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4X43EP

ITEM CODE	SIZE	ITEM CODE	SIZE
GC5P0	XS/6	GC5P4	XL/10
GC5P1	S/7	GC5P5	2XL/11
GC5P2	M/8	GC5P6	3XL/12
GC5P3	L/9		



EPIC®

GLOVE EPIC® PANTERA™ 5F CUT RESISTANT NITRILE

Part No: GPC58

- POLYMERIX™
- TACT™
- EPICFIT™
- EPICFLOW™
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Puncture Resistant
- Thumb Saddle
- Touch Screen Activation



POLYMERIX™ lightweight high cut resistant liner

TACT™ (Thermally Activated Coating Technology) premium sand grit nitrile coating

EPICFIT™ optimal ergonomic comfort and dexterity

EPICFLOW™ breathable cooling system for sweat and heat dispersion

Pre-washed and Sanitized®

Reinforced thumb saddle

Touch screen activation

Fully breathable

PACKAGING: 12 Pairs / Inner, 144 Pairs/ Carton

CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4X43F

ITEM CODE	SIZE	ITEM CODE	SIZE
GPC580	XS/6	GPC584	XL/10
GPC581	S/7	GPC585	2XL/11
GPC582	M/8	GPC586	3XL/12
GPC583	L/9		





GLOVE EPIC® PANTERA™ HELIUM® 5F CUT RESISTANT NITRILE

Part No: GPC54

- POLYMERIX™
- TACT™
- EPICFIT™
- EPICFLOW™
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Puncture Resistant
- Thumb Saddle
- Touch Screen Activation

Pre-washed and Sanitized®
Reinforced thumb saddle
Touch screen activation
Fully breathable
 Use in dry or wet conditions

POLYMERIX™ lightweight high cut resistant liner
TACT™ (Thermally Activated Coating Technology) premium hybrid nitrile coating
EPICFIT™ optimal ergonomic comfort and dexterity
EPICFLOW™ breathable cooling system for sweat and heat dispersion

PACKAGING: 12 Pairs / Inner, 144 Pairs/ Carton
CERTIFIED: Australian Standard AS/NZS 2161.3:2020, EN388 4X43F

ITEM CODE	SIZE	ITEM CODE	SIZE
GPC540	XS/6	GPC544	XL/10
GPC541	S/7	GPC545	2XL/11
GPC542	M/8	GPC546	3XL/12
GPC543	L/9		



GLOVE PITBULL® LEATHER RIGGER 5F CUT & HEAT RESISTANT

Part No: GRC57

- POLYMERIX™
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Puncture Resistant
- Wing Thumb
- Seamless Palm
- Shirred Wrist
- Premium Leather
- Heat Resistant

POLYMERIX™ lightweight high cut resistant liner
Cut and heat resistant
Premium cow grain leather
Wing thumb and seamless palm
 Ultimate protection with excellent dexterity

Elastic shirred wrist to keep out dirt and debris
Maximum abrasion, tear and puncture resistance with high level cut F protection

PACKAGING: 6 Pairs / Inner, 72 Pairs/ Carton
COMPLIANCE: Australian Standard AS/NZS 2161.3:2020, EN388 4X44F, EN407 42222X

ITEM CODE	SIZE	ITEM CODE	SIZE
GRC571	S/7	GRC575	2XL/11
GRC572	M/8	GRC576	3XL/12
GRC573	L/9		
GRC574	XL/10		



GLOVE PITBULL® LEATHER IMPACT RIGGER 5FP CUT & HEAT RESISTANT

Part No: GRC5P

- POLYMERIX™
- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Puncture Resistant
- Heat Resistant
- Impact Protection
- Shirred Wrist
- Premium Leather
- Wing Thumb

POLYMERIX™ lightweight high cut resistant liner
Cut and heat resistant
Premium cow grain leather
Wing thumb and seamless palm
Ultimate protection with excellent dexterity
Elastic shirred wrist to keep out dirt and debris


Maximum abrasion, tear and puncture resistance
Featuring flexible high grade TPR on back of hand and fingers for maximum impact protection

PACKAGING: 6 Pairs / Inner, 72 Pairs/ Carton
COMPLIANCE: Australian Standard AS/NZS 2161.3:2020, EN388 4X44FP

ITEM CODE	SIZE	ITEM CODE	SIZE
GRC5P0	XS/6	GRC5P4	XL/10
GRC5P1	S/7	GRC5P5	2XL/11
GRC5P2	M/8	GRC5P6	3XL/12
GRC5P3	L/9		



PROPRIETARY TECHNOLOGY



POLYMERIX™
 Lightweight high cut resistant fibres



TACT™
 Thermally Activated Coating Technology™ reacts to the wearer's body temperature



EPICFIT™
 Optimal ergonomic comfort and dexterity



EPICFLOW™
 Breathable cooling system for sweat and heat dispersion

EYE PROTECTION



ADJUSTABLE NOSE

Dual injected soft feel, adjustable nose bridge for comfort and stability.



ANTI-FOG

Anti-fog immersion coating.



ANTI-SCRATCH

Premium hard-coat anti-scratch treated.



BROW GUARD

Built-in, dual injected, soft brow guard to help keep sweat and debris away from eyes.



EXTRA ORBITAL COVERAGE

Extra large orbital coverage for maximum protection and true crystal clear optical clarity.



FKN™

FKN™ high-performance KN rated premium anti-fog and hard coat anti-scratch treatments.



FLEXION RUBBER

Dual injected soft flexion low-pressure temple arms for all-day wear.



METAL FREE

Metal free or "dielectric" (cannot conduct electricity) providing a safer level of protection.



POLARISED

PC Polarised model protects eyes by reducing glare from reflective surfaces such as glass and water.



SOFT TPU

Dual injected soft feel nose bridge for comfort.



TEMPLE GUARD

Built-in, dual injected, soft temple guard to help keep sweat and debris away from eyes.



TEMPLE FLEX

Soft flexion low-pressure temple arms for all-day wear allows the safety glasses to adjust to fit most face sizes and shapes.

EPIC®

GLASSES SAFETY EPIC® NIRVANA FKN™ PREMIUM COATING ANTI-SCRATCH & ANTI-FOG

Part No: SG57



Medium Impact



Flexion Rubber



Anti-Scratch



Soft TPU



Anti-fog



Metal Free



Lightweight



FKN™



UV400



Brow Guard



NEW

Optimised industrial safety eyewear
UV400 protection

Dual injected soft temple arms and brow guard for all-day wear

Flat profile temple arms for use with hearing protectors

Dual injected soft feel nose bridge for comfort and stability

FKN™ high-performance KN rated premium anti-fog and anti-scratch coating

Metal free
Lightweight

Fits most face sizes and shapes

PACKAGING: 1 Pair / Poly Bag, 10 Pairs / Box, 120 Pairs / Carton

CERTIFIED: Australian Standard AS/NZS 1337.1:2010

ITEM CODE	COLOUR
SG570	Clear
SG571	Smoke

ITEM CODE	COLOUR
SG572	Twilight



AS/NZS 1337.1:2010
BMP: 773294

EPIC®

GLASSES SAFETY EPIC® UNFORGIVEN PREMIUM COATING ANTI-SCRATCH

Part No: SGA45



Medium Impact



Temple-Flex



Anti-Scratch



Flexion Rubber



Lightweight



Metal Free



UV400



Polarised



Optimised industrial safety eyewear
UV400 protection

Dual injected soft flexion temple arms for all-day wear

Flat profile temple arms for use with hearing protectors

Premium hard-coat anti-scratch treated

Metal free

Lightweight

Fits most face sizes and shapes

PC Polarised model protects eyes by reducing glare from reflective surfaces such as glass and water

PACKAGING: 1 Pair / Poly Bag, 10 Pairs / Box, 120 Pairs / Carton

CERTIFIED: Australian Standard AS/NZS 1337.1:2010

ITEM CODE	COLOUR
SGA451	Smoke
SGA454	Smoke Polarised



AS/NZS 1337.1:2010
BMP: 773294

EPIC®

GLASSES SAFETY EPIC® EPIC COATING ANTI-SCRATCH & ANTI-FOG

Part No: SGE52

- Medium Impact
- Temple-Flex
- Anti-Scratch
- Flexion Rubber
- Anti-fog
- Metal Free
- Lightweight
- Positive Seal
- UV400


Metal free
Lightweight
Positive seal dust guard and strap - SOLD SEPARATELY



Optimised industrial safety eyewear
UV400 protection
Dual injected soft flexion low-pressure temple arms for all-day wear
Flat profile temple arms for use with hearing protectors
Premium hard-coat anti-scratch treated
Anti-fog immersion coating
Extra large orbital coverage for maximum protection and true crystal clear optical clarity

PACKAGING: 1 Pair / Poly Bag, 12 Pairs / Box, 300 Pairs / Carton
CERTIFIED: Australian Standard AS/NZS 1337.1:2010

ITEM CODE	COLOUR	ITEM CODE	COLOUR
SGE521	Clear	SGE524	Amber
SGE522	Smoke	SGE529	Dust Guard & Head Strap
SGE523	Twilight		



EPIC®

GLASSES SAFETY EPIC® ECHO™ COATING ANTI-SCRATCH & ANTI-FOG

Part No: SGE69


- Medium Impact
- Lightweight
- Anti-Scratch
- UV400
- Anti-fog



Optimised industrial safety eyewear
UV400 protection
Flat profile temple arms for all-day wear and use with hearing protectors
Wrap around full ocular coverage for complete safety and true crystal clear optical clarity
Lightweight
Anti-fog and anti-scratch coating

PACKAGING: 1 Pair / Poly Bag, 20 Pairs / Box, 300 Pairs / Carton
CERTIFIED: Australian Standard AS/NZS 1337.1:2010

ITEM CODE	COLOUR
SGE690MA	Clear
SGE691MA	Smoke



EPIC®

GLASSES SAFETY EPIC® EVERLONG UV400 STELLAR PREMIUM COATING ANTI-SCRATCH & ANTI-FOG

Part No: SGE56

- Medium Impact
- UV400
- Anti-Scratch
- Metal Free
- Anti-fog
- Adjustable Side Arms
- Lightweight
- Brow & Cheek Guard



Optimised industrial safety eyewear
UV400 protection
Flat profile temple arms for use with hearing protectors
Co-molded soft brow-guard and nose-piece for cushion fit
Angle adjustable, pliable and thin temple design automatically contours to different head sizes and shapes

Soft co-injected temples create a non-slipping fit and comfort for all-day wear
Stellar premium anti-scratch and anti-fog coating

PACKAGING: 1 Pair / Poly Bag, 10 Pairs / Box, 120 Pairs / Carton
CERTIFIED: Australian Standard AS/NZS 1337.1:2010

ITEM CODE	COLOUR	ITEM CODE	COLOUR
SGE560	Clear	SGE562	Twilight
SGE561	Smoke		



TRIDENT®

GLASSES SAFETY TRIDENT® NEPTUNE UV400 STELLAR PREMIUM COATING ANTI-SCRATCH & ANTI-FOG

Part No: SGT55

- Medium Impact
- UV400
- Anti-Scratch
- Metal Free
- Anti-fog
- Adjustable Side Arms
- Lightweight
- Brow & Cheek Guard



Optimised industrial safety eyewear
UV400 protection
Flat profile temple arms for use with hearing protectors
Co-molded soft brow-guard and nose-piece for cushion fit
Angle adjustable, pliable and thin temple design automatically contours to different head sizes and shapes

Soft co-injected temples create a non-slipping fit and comfort for all-day wear
Stellar premium anti-scratch and anti-fog coating

PACKAGING: 1 Pair / Poly Bag, 10 Pairs / Box, 120 Pairs / Carton
CERTIFIED: Australian Standard AS/NZS 1337.1:2010

ITEM CODE	COLOUR
SGT55	Clear








ACCESSORIES

EPIC®

BACKPACK EPIC® HI VIS + REFLECTIVE TAPE

Part No: BCE100

-  Hi Vis
-  Utility Pockets
-  Reflective Tape
-  Bottle Holder
-  Insulated
-  Hands Free Support
-  Quick Release Straps
-  Padded Mobile Pocket



Heavy duty hi visibility site backpack
 Front X pattern reflective tape design with additional side panel tape
 210D lined, main zippered compartment with pen holders, divider, mesh pocket and padded mobile pocket
 Removable velcro utility pocket on shoulder strap
 Insulated PEVA lined, zippered front compartment
 Foam padded back panel and adjustable straps

Rubber handle bar
 High quality side mesh pocket and water bottle holder
 Hip belt & lumbar support
 Side utility zip pocket
 Quick release shoulder straps
 Hands free earphone cord support
 XL 34 Litre capacity

PACKAGING: 1 Pair / Poly Bag, 15 Bags / Carton

ITEM CODE	COLOUR	ITEM CODE	COLOUR
BCE1000	Hi Vis Orange	BCE1000Y	Hi Vis Yellow

EPIC®

GLOVE HOLDER CLIP EPIC®

Part No: GC10



Upper jaws secure to belt loops or pockets
 Lower plastic jaws grip and hold gloves
 Rubber linking arm designed to breakaway in the event of glove entanglement
 Reduces number of misplaced gloves
 Nonconductive and noncorrosive material

DIRECTIONS

To use, simply clip the small end around your belt loop or directly to your clothing and clip the large end to your gloves.

PACKAGING: 100 Clips / inner, 500 Clips / Carton

ITEM CODE	COLOUR	ITEM CODE	COLOUR
GC1000	Orange	GC1002	Yellow
GC1001	Black	GC1005	Green

STEVE SAMMUT

Sales Director
 M: 0477 997 191
 E: steve@industree.com.au

MICHELLE HARGREAVES

Director of Product & Innovation
 M: 0456 886 489
 E: michelle@industree.com.au

CHRIS DOUGLAS

National Channel Manager
 M: 0438 827 913
 E: chrisd@industree.com.au

BEN FLOWER

National Respiratory & Fit Testing Manager
 M: 0456 077 407
 E: ben@industree.com.au

COHEN SCHILLING

Regional Sales Manager
 NSW / VIC / ACT / TAS
 M: 0415 798 656
 E: cohen@industree.com.au

RYAN GORDON

Regional Sales Manager
 WA / SA
 M: 0456 844 065
 E: ryan@industree.com.au

NEIL HAMILTON

Internal Sales Contracts Manager
 Government & Export
 M: 0426 589 792
 E: neil@industree.com.au

JAYDEN MINTO

Regional Business Development Manager QLD
 M: 0400 889 119
 E: jayden@industree.com.au

CHRIS HARLOND

Regional Business Development Manager WA / NT
 M: 0439 393 152
 E: chrish@industree.com.au